

BPS-PLUS

Colistin Sulphate + Zinc Bacitracin + Streptomycin Sulphate + Procaine Penicillin

POWDER



**FASTER
& SAFER
GROWTH**

www.baariqpharma.com

BPS-PLUS

Colistin Sulphate + Zinc Bacitracin + Streptomycin Sulphate + Procaine Penicillin

POWDER



COMPOSITION:

Each 1000gm BPS-Plus Powder Contains:

Colistin Sulphate (BP)	60 MIU
Zinc Bacitracin	52 gm
Streptomycin Sulphate (BP)	36 gm
Procaine Penicillin (BP)	12 gm

Product Complies with Baariq Specs.

INDICATIONS:

BPS-Plus Powder is effective growth promoter which improves feed efficiency. Increasingly maintaining higher eggs production. Prevents early mortality & morbidity. Prevents from diseases during the period of stress.

Dosage:

POULTRY:

For Increase of weight gain & improve feed efficiency:
500 gm to 1kg per ton of feed continuously.

For Increasingly maintaining of eggs production & hatchability:
1kg to 2kg per ton of feed continuously.

For Prevention of disease during period of stress:

2.5kg to 5kg per ton of feed for 3-5 days when disease occurs or until symptoms disappear.

PRECAUTIONS:

- 1- Store in a cool, dry and dark place.
- 2- Keep away from the reach of Children.
- 3- Protect from direct sunlight.

For better results use medicine as per recommended dose.

بی پی ایس - پلس

پاؤڈر

اجزائے ترکیبی:

ہر 1000 گرام بی پی ایس - پلس پاؤڈر میں شامل ہے -
کولیسٹین سلفیٹ (بی پی) 60 ایم - آئی - یو
زنک بیسیٹراسن 52 گرام
سٹرپٹومائین سلفیٹ (بی پی) 36 گرام
پروکین پنسیلین (بی پی) 12 گرام

علامات:

بی پی ایس - پلس پاؤڈر میں شامل کولیسٹین دوسرے Antibiotics کے ساتھ Synergistic Effect پیدا کر کے مختلف انواع کے گرام منفی اور گرام مثبت بیکٹیریا کے خلاف مدافعت پیدا کرتی ہے اور مرغیوں میں نشوونما، وزن بڑھانے اور خوراک کی کارکردگی کی صلاحیت میں اضافے کے لیے موثر ہے۔ بی پی ایس - پلس پاؤڈر انڈوں کی شرح پیداوار میں اضافہ اور پیداواری صلاحیت بڑھانے کے لیے انتہائی موثر ہے۔ بی پی ایس - پلس پاؤڈر سٹرلٹس کی حالت میں نہایت مفید نتائج دیتی ہے۔

خوراک:

پولٹری:

وزن بڑھانے اور خوراک کی کارکردگی کو بہتر بنانے کے لیے:
500 گرام تا 1 کلوگرام ایک ٹن فیڈ میں ملائیے۔
انڈوں کی شرح پیداوار اور پیداواری صلاحیت کو بڑھانے کے لیے:
1 کلوگرام تا 2 کلوگرام ایک ٹن فیڈ میں ملائیے۔

احتیاطیں:

اعصابی دباؤ سے تحفظ اور علاج کے لیے:
2.5 کلوگرام تا 5 کلوگرام ایک ٹن فیڈ میں 3 سے 5 دن تک استعمال کریں۔ جب تک بیماری کی علامات دور نہ ہوں۔
1۔ دوا کو خشک اور ٹھنڈی جگہ پر رکھیں۔
2۔ تمام دوائیں بچوں کی پہنچ سے دور رکھیں۔

Available: 100g, 250g, 500g, 1kg, 2.5kg, 5kg, 10kg, 25kg

صرف جانوروں کے استعمال کیلئے

For Veterinary Use Only

بہترین نتائج کیلئے دوا کو مقررہ مقدار میں استعمال کریں۔

HEAD OFFICE

SUIT # 105, 1st Floor, Anum Estate,
49 D.A.H.S Main Shahrah-e-Faisal,
Karachi - Pakistan.

Tel: +92-21-34321892 Fax: +92-21-34321893

E-mail: baariq@yahoo.com



BAARIQ
PHARMACEUTICALS
Manufacturer & Exporter Of Animals Health Division

PLANT

Plot # 600, Sundar Industrial Estate,
Sundar Raiwind Road,
Lahore - Pakistan.

Tel: +92-42-35297522-4

E-mail: info@baariqpharma.com

www.baariqpharma.com